Massachusetts school immunization requirements are created under authority of <u>105 CMR 220.000</u> Immunization of Students Before Admission to School

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

### Childcare/Preschool ¶†

Attendees <2 years should be immunized for their age according to the <u>ACIP Recommended Immunization Schedule</u>. Requirements listed in the table below apply to all attendees ≥2 years. These requirements also apply to children in preschool classes called KO or K1.

presented classes			
Hib	1-4 doses; the number of doses is determined by vaccine product and age the series begins		
DTaP	4 doses		
Polio	3 doses		
Hepatitis B	3 doses; laboratory evidence of immunity acceptable		
MMR	<b>1 dose;</b> must be given on or after the 1 <sup>st</sup> birthday; laboratory evidence of immunity acceptable		
Varicella	1 dose; must be given on or after the 1 <sup>st</sup> birthday; a reliable history of chickenpox* or laborator evidence of immunity acceptable		

#### **NEW - Influenza Requirement**

Influenza	1 dose; seasonal influenza vaccine for the current flu season (July-June) must be received annually for anyone 6 months of age or older by December 31st. New students entering between January 1st and March 31st must have received a dose of vaccine for the current flu season for entry.
	Depending on the child's flu vaccination history, ACIP may recommend a second dose of flu vaccine in the same season. In these cases, the second dose is recommended but is not required for entry.

<sup>§</sup> Address questions about enforcement with your legal counsel.

See following pages for Grades K-6, 7-10, Grades 11-12, and College (Postsecondary Institutions)

<sup>¶</sup> Meningococcal vaccine requirements (see Grades 7-10 and 11-12) also apply to residential students in Grades Pre-K through 8 if the school combines these grades in the same school as students in Grades 9-12.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

<sup>\*</sup> A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

# Grades Kindergarten – 6 ¶†

In ungraded classrooms, Kindergarten requirements apply to all students ≥5 years.

DTaP	<b>5 doses;</b> 4 doses are acceptable if the fourth dose is given on or after the 4 <sup>th</sup> birthday. DT is only acceptable with a letter stating a medical contraindication to DTaP		
Polio	<b>doses;</b> fourth dose must be given on or after the $4^{th}$ birthday and $\geq 6$ months after the previous se, or a fifth dose is required. 3 doses are acceptable if the third dose is given on or after the birthday and $\geq 6$ months after the previous dose		
Hepatitis B	3 doses; laboratory evidence of immunity acceptable		
MMR	doses; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 ays after first dose; laboratory evidence of immunity acceptable		
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable		

#### **NEW - Influenza Requirement**

Influenza	<b>1 dose;</b> seasonal influenza vaccine for the current flu season (July-June) must be received annually by December 31 <sup>st</sup> . New students entering between January 1 <sup>st</sup> and March 31 <sup>st</sup> must have received a dose of vaccine for the current flu season for entry.
	Depending on the child's flu vaccination history, ACIP may recommend a second dose of flu vaccine in the same season. In these cases, the second dose is recommended but is not required for school entry.

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

See following pages for Grades 7-10, Grades 11-12, and College (Postsecondary Institutions)

<sup>¶</sup> Meningococcal vaccine requirements (see Grades 7-10 and 11-12) also apply to residential students in Grades Pre-K through 8 if the school combines these grades in the same school as students in Grades 9-12.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

<sup>\*</sup> A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

#### Grades 7 - 12†

In ungraded classrooms, Grade 7 requirements apply to all students ≥12 years.

- J		
Tdap	1 dose; and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at ≥7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been ≥10 years since last Tdap	
Polio	<b>4 doses;</b> fourth dose must be given on or after the $4^{th}$ birthday and $\geq 6$ months after the previous dose, or a fifth dose is required. 3 doses are acceptable if the third dose is given on or after the $4^{th}$ birthday and $\geq 6$ months after the previous dose	
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable. 2 doses of Heplisav-B given on or after 18 years of age are acceptable	
MMR	2 doses; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥ days after first dose; laboratory evidence of immunity acceptable	
Varicella	2 doses; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable	

#### **NEW - Influenza Requirement**

Influenza	<b>1 dose;</b> seasonal influenza vaccine for the current flu season (July-June) must be received annually by December 31 <sup>st</sup> . New students entering between January 1 <sup>st</sup> and March 31 <sup>st</sup> must have received a dose of vaccine for the current flu season for entry.
-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### **NEW – Meningococcal Requirements**

Grade 7	<b>1 dose</b> ; 1 dose MenACWY (formerly MCV4) required. Meningococcal B vaccine is not required and does not meet this requirement.	
Grade 11 <sup>‡</sup>	2 doses; second dose MenACWY (formerly MCV4) must be given on or after the 16th birthday and ≥ 8 weeks after the previous dose. 1 dose is acceptable if it was given on or after the 16th birthday. Meningococcal B vaccine is not required and does not meet this requirement.	

#### **Meningococcal Vaccine Phase-In Schedule**

	2020-2021	2021-2022	2022-2023	2023-2024
1 Dose MenACWY	Grade 7	Grades 7-8	Grades 7-9	Grades 7-10
2 Doses MenACWY	Grade 11	Grades 11-12	Grades 11-12	Grades 11-12

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

<sup>\*</sup> A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

<sup>‡</sup> Students who are 15 years old in grade 11 are in compliance until they turn 16 years old.

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

### College (Postsecondary Institutions)\*\*†

Requirements apply to all full-time undergraduate and graduate students under 30 years of age and all full- and part-time health science students. Meningococcal requirements apply to the group specified in the table below.

Tdap	1 dose; and history of a DTaP primary series or age appropriate catch-up vaccination. Tdap given at ≥7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been ≥10 years since Tdap.	
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable	
MMR	<b>doses;</b> first dose must be given on or after the $1^{st}$ birthday and second dose must be given $\geq 28$ ays after first dose; laboratory evidence of immunity acceptable. Birth in the U.S. before 1957 cceptable only for non-health science students	
Varicella	2 doses; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable. Birth in the U.S. before 1980 acceptable only for non-health science students	
Meningococcal	1 dose; 1 dose MenACWY (formerly MCV4) required for all full-time students 21 years of age or younger. The dose of MenACWY vaccine must have been received on or after the student's 16 <sup>th</sup> birthday. Doses received at younger ages do not count towards this requirement. Students may decline MenACWY vaccine after they have read and signed the MDPH Meningococcal Information and Waiver Form provided by their institution. Meningococcal B vaccine is not required and does not meet this requirement	

### **NEW – Influenza Requirement**

Influenza	1 dose; seasonal influenza vaccine for the current flu season (July-June) must be received annually by December 31 <sup>st</sup> . New students entering between January 1 <sup>st</sup> and March 31 <sup>st</sup> must have received a dose of vaccine for the current flu season for entry.
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

§ Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>\*\*</sup> The immunization requirements apply to all students who attend any classes or activities on campus, even once. If all instruction and activities are remote and the student will never be on campus in person, the requirements would not apply. Should a student physically return to campus, they would need comply with this requirement

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

<sup>\*</sup> A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.